

AUTUMN & WINTER CLEANUP

ORGANIC COMBOS

The purpose of winter clean-up sprays is to break the cycle to make sure that there are no eggs to hatch or fungal spores left from the previous season.

For all winter clean-up spraying good coverage is required, as fungal diseases can be harboured in the rough crevices of the bark, so apply the solution until your trees are dripping wet.

Best practice is to remove dead foliage from around the plant base and spray the area with your cleanup spray.



4547



GROSAFE® AUTUMN & WINTER CLEANUP SPRAYS

ROSE CLEANUP

Free Flo™ Copper and **EnSpray 99®** are perfect partners in the control of fungal and pest threats. Both can be mixed together to provide a broad spectrum defence.

In May, during leaf fall, it is good to give your roses a **Free Flo™ Copper** and **EnSpray 99®** application. This acts to kill any scale and any bacterial/fungal spores that are present.

To mix up the chemistry in your garden it is recommended that at the end of autumn early winter you spray **Lime Sulphur** to help defoliate and kill any over wintering fungal spores.

At pruning time, spray one **Free Flo™ Copper / EnSpray 99®** application before pruning, one after pruning and then a 3rd spray three to four weeks later.

InocBloc™ Prune'n'Paste is the perfect partner for a safe bacterial defence against infection following pruning.

Combo Controls: aphids, mites, scale, soft rose scale, anthracnose, downey mildew in roses.

PIPFruit & Stonefruit Cleanup

Pruning is recommended after harvest. **InocBloc™ Prune'n'Paste** is the ideal way to protect the trees' open wounds from any unwanted infection.

Free Flo™ Copper and **EnSpray 99®** are the ideal partners in the control of fungal disease and pests in pip and stone fruit. It is good to spray when the leaves are falling which has the added benefit of encouraging the leaves to fall over a shorter period, which is better for the health of the tree.

Spraying with **Lime Sulphur** in early-winter is also good practice to ensure any over wintering fungal spores are eradicated. Apples, pears and quinces are susceptible to aphids, mites, black spot and powdery mildew. Stone fruits (peaches, plums, nectarines and apricots), are susceptible to aphids, leaf curl, brown rot, shot hole and rust.

***IMPORTANT NOTE: Lime Sulphur must only be used on its own and must have at least 20 days between any other sprays. Lime Sulphur will defoliate when applied to deciduous and evergreen plants.**

APRIL



MAY



JUNE



JULY



AUGUST



Calendar timings are indicative only as seasonal changes can differ throughout NZ

DIRECTIONS FOR USE

Free Flo™ Copper, BioPower® and EnSpray 99®: May be used together to control fungal disease and pest infestation.

Mix order: 1st Free Flo™ Copper, 2nd BioPower®, 3rd EnSpray 99®

Free Flo™ Copper and EnSpray 99®: Use as winter clean up also before and after pruning and during winter dormancy. Mix order: 1st Free Flo Copper™, 2nd EnSpray 99®

Please always refer to labels for full directions of use.



Grosafe garden

20 Jean Batten Drive, Mt Maunganui, 3116
PO Box 14 450 Tauranga 3143.
Ph: +64 7 572 2662 | info@grosafe.co.nz
www.grosafegarden.co.nz