Grosafe

PRICKLE WEEDKILLER

SELECTIVE HERBICIDE

Controls Onehunga weed and other broadleaf lawn weeds including thistles, plantains, daisies, Cape daisy and pennycress.

HERE

Prickle Weedkiller 200ml

ACTIVE INGREDIENT: contains 72g/litre bentazone in the form of soluble concentrate.

DIRECTIONS:

Shake well. Mix 10ml per litre of water and apply to 5 square metres using a spray unit. For best results, apply 1 week after cutting under active growing conditions to ensure an even coverage of all foliage. Do not spray if rain is likely within 24 hours. Keep pets off treated lawns until the sorray is dry.

GENERAL INFORMATION:

Onehunga weed is very common in New Zealand lawns, producing a mass of small prickles over the summer. The optimum time to apply Grosafe® Prickle Weedkiller is in October, after the majority of plants have germinated and before they set seed.

A second spray in autumn will reduce the problem for next season. Do not apply below 18oC or variable results may be achieved

NOTE: Some burning may occur with young and fine turf grasses. Best practice is to wait 3-4 months before spraying newly established grass and a patch test is recommended. Do not use lawn clippings for compost or mulch until 3 cuttings after treatment. After application, clean equipment thoroughly. It is advisable to use a separate sprayer for fungicides and insecticides. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Do not apply on or around food or animal feed crops.

WARNING KEEP OUT OF REACH OF CHILDREN ECOTOXIC READ LABEL BEFORE USE HAZARD CLASSIFICATIONS:

Eye irritation, Category 2; Skin sensitisation, Category 1; Designed for biocidal action



Distributed by:

GROSAFE CHEMICALS LTD

20 Jean Batten Drive, Mt Maunganui, 3116

PO Box 14 - 450 Tauranga 3143

Tel: 0800 220002 Email: info@grosafe.co.nz

Batch code: Date of Manufacture:



WARNING: Causes serious eye irritation. May cause an allergic skin reaction. ECOTOXICITY WARNING: Harmful to aquatic life. Do not apply into or onto water. Avoid contamination of any water supply with product or empty container.

PERSONAL PROTECTION: Avoid breathing mist or spray. When mixing or

using wear overalls, face mask, safety glasses and rubber gloves. Do not eat, drink or smoke while using. Wash hands, face and exposed skin thoroughly after handling. STORAGE: Store in original container, tightly closed, in a locked, cool, dry

place, away from children and foodstuffs. When stored appropriately this product should show no significant degradation for two years from date of manufacture. Contact your supplier for further information about the use of any product that is older than this. SPILLS: When dealing with spills wear personal protection. Contain and absorb with inert absorbent material then collect into container for disposal.

PRODUCT DISPOSAL: If possible dispose of by using according to the label, otherwise dispose of in an approved landfill.

CONTAINER DISPOSAL: Triple rinse and add to the spray tank. Dispose of rinsed container in rubbish collection. Do not use for any other purpose. SAFETY DATA SHEET: A safety data sheet is available from Grosafe Chemicals Ltd.

FIRST AID:

For advice call a doctor or the National Poisons Centre (0800 764 766). Have product label or container of hand. If swallowed, rinse mouth but do not induce vomitting. Get advice if you feel unwell. If on skin wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice. If in eyes rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists get medical advice. Get medical advice if person feels unwell. Wash contaminated clothing before reuse.

EMERGENCY RESPONSE 0800 CHEMCALL: (0800 243 622)

COMPATIBILITY:

Grosafe Prickle Weedkiller is compatible with both Grosafe Lawn Guard and Grosafe Hydrocotyle Killer. For enhanced performance use with Grosafe BioPower* Seaweed Flake to stimulate plant growth. Use with Grosafe EcoSpread* for improved rainfastness (30 minutes) and efficacy.

Approved pursuant to HSNO Act 1996, No HSR000425 See www.epa.govt.nz for approval conditions.

WARRANTY This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.