


23 June 2025

		Sipcam New Zealand Ltd					
		Address: 20, Jean Batten Drive, Mt Maunganui 3116. Tel: 0800 220 002 email: info@sipcam.co.nz					
EMERGENCY INFORMATION : STORAGE GUIDE : DANGEROUS GOODS DECLARATION							
HERALD®							
Herbicide							
Substance: 520g/L Haloxyfop-p as the methyl ester in the form of an emulsifiable concentrate							
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (haloxyfop-P-methyl)							
UN No.:	DG Class	Subsidiary Risk Class	Packing Group	Flash Point (°C)	HAZCHEM	Marine Pollutant	Maximum Transport Quantity:
3082	9	N/A	III	92 °C	3Z	Yes	N/A
HSNO No HSR100054. Hazard Classifications: Flammable liquid Category 4, Acute oral toxicity Category 4, Aspiration hazard Category 1, Eye irritation Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to terrestrial vertebrates; Hazardous to the aquatic environment acute Category 1; Hazardous to the aquatic environment chronic Category 1.					Tracking Required:	Approved Handler:	SNZ HB 76: [IER Guide] Guide 47
					No	N/A	
EMERGENCY PROCEDURES							
IF THIS HAPPENS	DO THIS						
Tanker/Vehicle Accident	Switch off engine and electrical equipment. Keep people away, warn other traffic. Check for spills, leaks. Dial 111						
Spill or Leak	Sweep up spilled product, collect and place in sealable container for disposal. Seek advice from the local authority regarding disposal.						
Fire	Dial 111. Wear full protective clothing and breathing apparatus. Use fog, foam, powder or CO ₂ to extinguish. Cool steel drums with water to prevent explosion by thermal expansion. Contain run-off.						
24 HOUR ADVICE IN AN EMERGENCY ONLY: Ph: 0800 565 961							
FIRST AID							
If Swallowed	Do NOT induce vomiting. For Advice contact the National Poisons Centre 0800 POISON (0800 764 766) If symptoms develop call a doctor.						
If In Eyes	Immediately flush with water for fifteen minutes. If symptoms develop seek medical advice.						
If On Skin	Wash affected areas thoroughly with soap and water. If symptoms develop seek medical advice.						
If Inhaled	Remove from exposure. Allow patient to assume the most comfortable position and keep warm. Seek medical advice if symptoms develop.						
STORAGE and SEGREGATION							
Storage: Store in original, sealed container in a cool (below 30 °C.) place away from direct heat or direct sunlight. Store away from foodstuffs, children and animals.							
Aggregate Storage Volume Thresholds:							
Location Certificate:	Hazardous Atmosphere Zone:	Fire Extinguisher:	Hazard Class and Emergency Action Signage:	Emergency Information:	Emergency Plan:	Secondary Containment:	
N/A	N/A	N/A	>1000L	>1000L	>1000L	>1000L	
Note:							
DO NOT STORE OR LOAD WITH:			SEGREGATE FROM:				
Explosives (class 1), oxidising gases, oxidising liquids, oxidising solids, organic peroxides			Food, drink and animal feedstuffs.				
SEGREGATION: Check the Land Transport Rule Dangerous Goods, Rule 45001 for additional information. Sea Transport may require additional segregation; refer NZS5433 for details.							
No. and Kind of Packages:			Gross Weight:		Volume:		
			kg		m ³		
Consignor (from):			Consignee (to):				
Dangerous Goods Declaration: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name and are classified, packaged, marked and labelled, and are in all respects in proper condition for transport according to the applicable international and national rules, regulations and legislation.			Name:				
			Title:				
			Signature:				
					Date:		
DISCLAIMER: The information provided above is based upon sources believed to be accurate. However Sipcam NZ Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The consignor and the consignee are responsible for determining the suitability of this information for their particular purpose.							