AMINO BOSS

Legume

PLANT ACTIVE CHELATE FORMULATION

Zn S Mn
Cu Mg Mo
Fe B Co

Highly available plant active formulation

Zinc 30 g/L, Sulphur 29 g/L, Manganese 5 g/L, Copper 5 g/L, Magnesium 5 g/L, Molybdenum 5 g/L, Iron 2 g/L, Boron 2 g/L, Cobalt 0.2 g/L



DANGER

Keep out of reach of children

HAZARD CLASSIFICATIONS:
Suspected of damaging fertility or the unborn child. Maybe harmful if swallowed. Causes serious eye damage. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure

PERSONAL PROTECTION: DO NOT handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye/face protection. Avoid skin and eye contact and inhalation of spray mist. Wash hands and face before meals and after work.
STORAGE: Store in original container, tightly closed and in a dry, locked, cool area above 5ºC away from direct sunlight and foodstuffs.
DISPOSAL: Triple rinse empty container and add rinsate to the spray tank. If recycling, discard cap and deliver clean container to an Agrecovery depot. Alternatively crush and bury in an approved landfill. Dispose of product only by using according to the label, or at an approved disposal facility.
SAFETY DATA SHEET: Additional information is listed in the SDS available from the supplier, Sipcam NZ Ltd, and www.sipcam.co.nz

FIRST AID:
If swallowed contact the National Poisons Centre 0800 POISON 0800 764 766) or a doctor if you feel unwell. If on skin wash with plenty of soap and water. Get medical advice if skin irritation develops. If in eyes rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if eye irritation develops. If inhaled remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISONS CENTRE or doctor for advice if person feels unwell

Approved under the HSNO Act 1996, HSR002571
See www.epa.govt.nz for controls

EMERGENCY RESPONSE: 0800 CHEMCALL (0800 243 622)

9 421908 733059

AMINO BOSS LEGUME
NET CONTENTS: 20 Litres

Batch No:

Date of Manufacture:

AGRECOVERY Rural Recycling Programme

AMINO BOSS LEGUME is a nutrition supplement designed for all legume crops to be used in a preventive program to assist with many essential cellular functions.

- A unique chelated micronutrient solution containing the complete range of amino acids to assist plant performance.
- Recommended for foliar applications where a 100% chelated product with excellent plant uptake and good compatibility is required.

DIRECTIONS FOR USE

- Product should be used during ideal growing conditions to ensure effective uptake. Avoid extreme weather conditions such as heat and frost events.
- For most effective results apply in the early morning or late afternoon as this will assist in minimising risk of rapid drying on the leaf due to evaporation.
- Where local experience of successful use is not available, use a small scale test application prior to wide spread use. If any issues are observed DO NOT continue with the application.
- It is recommended to add to the tank mix after all other products have been mixed well in the tank, including most of the water.
- DO NOT apply by foliar application to flowers of any crop.
- Ensure good leaf coverage and canopy penetration.

The following is a general guideline. For detailed recommendations consult your agronomist or crop advisor.

CROPS	GROWTH STAGE	RATE	COMMENTS
Seed Legumes / Pulses (clover, peas, lentils, Lucerne)	From onset of active growth after sowing. 10 - 14 days before flowering.	3.0 - 5.0 L/ha	Apply by foliar spraying or through a calibrated fertigation system using the higher rate. Can be injected at planting or as a side dressing at 4.0 - 6.0 L/ha
Vegetable Legumes (peas, beans, chickpeas)			
Forage and Grazing Legumes (Lucerne, clover, peas)	From onset of active growth after sowing. 7 - 10 days after cutting or grazing.	3.0 - 4.0 L/ha	Utilise foliar, petiole or sap analysis to guide application timings. Use the high rate and repeat at 14 day intervals during rapid vegetative growth phases.

COMPATIBILITY

Compatible with most common fertilisers and crop protection products. It is recommended to perform a jar test before mixing.
DO NOT use with amine herbicides unless crop safety has been fully investigated.
DO NOT apply **AMINO BOSS LEGUME** with copper fungicides by foliar application on any crops as it will increase the activity of copper and may result in unacceptable levels of phytotoxicity.

SIPCAM NEW ZEALAND
Sipcam New Zealand Ltd
20 Jean Batten Drive Mt Maunganui 3116
PO Box 14-450 Tauranga 3141
0800 220 002
info@sipcam.co.nz
www.sipcam.co.nz

NOTICE TO BUYER: This product must be used in accordance with the directions for use. Other than warranted by New Zealand consumer protection law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

AMINO BOSS is a registered trademark of Sipcam New Zealand Ltd.

SCABLB059/01